

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J	PAGE OF PAGES 1 5
2. AMENDMENT/MODIFICATION NO. P00031	3. EFFECTIVE DATE See Block 16C.	4. REQUISITION/PURCHASE REQ. NO. N/A	5. PROJECT NO. (If applicable) RFID-II		
6. ISSUED BY Army Contracting Agency-ITEC4 ATTN: SFCA-IT, Pam Locke (703) 325-5779 2461 Eisenhower Avenue Alexandria, Virginia 22331-1700 e-mail: Pamela.Locke-PersonnelServices@itec4.army.mil	CODE W91QUZ	7. ADMINISTERED BY (If other than Item 6) DCMA Northern California 700 East Roth Road, Bldg 330, 2 nd Floor P.O. Box 232 French Camp CA 95231-0232		CODE S0507A	
8. NAME AND ADDRESS OF CONTRACTOR Savi Technology 615 Tasman Drive Sunnyvale, CA 94089				(4)	9A. AMENDMENT OF SOLICITATION NO.
					9B. DATED (SEE ITEM 11)
				X	10A. MODIFICATION OF CONTRACT/ORDER NO. DABL01-03-D-1002
					10B. DATED (SEE ITEM 13) 21 January 2003
CODE 0J463	FACILITY CODE				

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is ☐ extended, ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning ___ copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and data specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A



13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(4)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)
X	Bilateral modification pursuant to Part C-1, Paragraph (c) Changes.
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.	

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2-5.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) Mary Ellen Genovese Chief Financial Officer		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) GLORIA J. McGEE, Contracting Officer Tel: 703-325-2927 Email: Gloria.McGee@ITEC4.army.mil	
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED 7/14/05	16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)	16C. DATE SIGNED 27 July 2005

A. This modification:

- 1) Incorporates the Contractor's CCP #031 Revision A (as modified during discussions), revising Part B-2 to add short-, medium-, and long-range signposts with integrated UHF readers.
- 2) Revises Part B-2 to correct model numbers for transit case groups (SLINs X050DB-DR) that were added by Modification P00015.
- 3) Revises Part B-2 to reserve SLIN X001AW that was inadvertently included in the revised B-2 incorporated by P00024. (Note: SLIN X001AW duplicates the product reflected in SLIN X001CB that was added by P00019 and is therefore not required.)
- 4) Revises Part B-2 to renumber SLINs X004BB-BH to reflect the SLIN assignments reflected in the text of Modification P00024.
- 5) Revises Part C-1-1(ai) to add DFARS Clause 252.232-7003, Electronic Submission of Payment Requests (Jan 2004).
- 6) Revises Part D to reflect changes made by Modification P00015, which were inadvertently omitted in the version of Part D that was incorporated by P00020.

B. Part B-2, Master CLIN List, is revised as follows to make the necessary changes resulting from:

- 1) Paragraph A.1 above:

ADDITION:

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X027GA	Savi EchoPoint SP-65X Short Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 6 feet, Ethernet, North American Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug K) (Model # SP-652-111) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$1,460
X027GB	Savi EchoPoint SP-65X Short Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 6 feet, Ethernet, Continental Europe Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug A) (Model # SP-652-111-2) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$1,460
X027GC	Savi EchoPoint SP-65X Short Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 6 feet, Ethernet, Japan Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug M) (Model # SP-652-111-3) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$1,460
X027GD	Savi EchoPoint SP-65X Short Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 6 feet, Ethernet, United Kingdom Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug D) (Model # SP-652-111-7) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$1,460

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X027GE	Savi EchoPoint SP-65X Medium Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 9 feet, Ethernet, North American Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug K) (Model # SP-652-311) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020
X027GF	Savi EchoPoint SP-65X Medium Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 9 feet, Ethernet, Continental Europe Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug A) (Model # SP-652-311-2) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020
X027GG	Savi EchoPoint SP-65X Medium Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 9 feet, Ethernet, Japan Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug M) (Model # SP-652-311-3) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020
X027GH	Savi EchoPoint SP-65X Medium Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 9 feet, Ethernet, United Kingdom Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug D) (Model # SP-652-311-7) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020
X027GJ	Savi EchoPoint SP-65X Long Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 12 feet, Ethernet, North American Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug K) (Model # SP-652-211) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020
X027GK	Savi EchoPoint SP-65X Long Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 12 feet, Ethernet, Continental Europe Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug A) (Model # SP-652-211-2) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020
X027GL	Savi EchoPoint SP-65X Long Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 12 feet, Ethernet, Japan Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug M) (Model # SP-652-211-3) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020
X027GM	Savi EchoPoint SP-65X Long Range Signpost with UHF Reader, UHF Antenna, 123 KHz, 12 feet, Ethernet, United Kingdom Power & Plug (100 - 240 VAC, 50-60 Hz, 0.3 A (max), Plug D) (Model # SP-652-211-7) (OEM Savi) (Note: Site Manager Software Version 5.5.1 or greater (reference SLINs X060DA-DQ) is required for reader (interrogation) capability.)	1	EA	\$2,020

- 2) Paragraph A.2 above: (Note: The following SLINs were added by P00015. The model numbers contained in the SLIN descriptions were correctly reflected in the text of the modification, but were incorrectly identified in the revised Part B-2. This modification revises the model numbers as identified below.)

CLIN/ SLIN	FROM MODEL NUMBER:	TO MODEL NUMBER:
X050DB	TCG-SMR-8100-01	TCG-SMR-8100-02
X050DC	TCG-SMR-8100-01	TCG-SMR-8100-03
X050DE	TCG-SMR-8100-01	TCG-SMR-8100-04
X050DG	TCG-SMR-8146-01	TCG-SMR-8146-02
X050DH	TCG-SMR-8146-01	TCG-SMR-8146-03
X050DJ	TCG-SMR-8146-01	TCG-SMR-8146-04
X050DL	TGP-SMR-8100-01	TGP-SMR-8100-02
X050DM	TGP-SMR-8100-01	TGP-SMR-8100-03
X050DN	TGP-SMR-8100-01	TGP-SMR-8100-04
X050DP	TGP-SMR-8146-04	TGP-SMR-8146-01
X050DQ	TGP-SMR-8146-04	TGP-SMR-8146-02
X050DR	TGP-SMR-8146-04	TGP-SMR-8146-03

3) Paragraph A.3 above:

FROM:

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X001AW	Savi Docking Station Adapter for the SaviTag 654 (Model # SDSA-654-01) (OEM Savi)	1	EA	\$77

TO:

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X001AW	Reserved			

- 4) Paragraph A.4 above: (Note: The following SLINs were added by P00024. The revised Part B-2 reflected an incorrect assignment of the SLINs; the correct SLIN assignment is reflected in the text of the modification. The prices and product descriptions remain unchanged.)

FROM: TO:

CLIN/ SLIN	CLIN/ SLIN	Description	Qty	Unit	Contract Year 2 2XXX	Contract Year 3 3XXX
X004BC	X004BB	Savi Mobile Reader 650P with a DB-9 connector, Continental Europe Power & Plug (100 to 240 VAC/47 to 63 Hz, Plug A) (Model # SMR-650P-110-2) (OEM Savi)	1	EA	\$742	\$757
X004BD	X004BC	Savi Mobile Reader 650P with a DB-9 connector, Japan/Korea Power & Plug (100 to 240 VAC/47 to 63 Hz, Plug M) (Model # SMR-650P-110-3) (OEM Savi)	1	EA	\$742	\$757
X004BE	X004BD	Savi Mobile Reader 650P with a DB-9 connector, United Kingdom Power & Plug (100 to 240 VAC/47 to 63 Hz, Plug D) (Model # SMR-650P-110-7) (OEM Savi)	1	EA	\$742	\$757

CLIN/ SLIN	CLIN/ SLIN	Description	Qty	Unit	Contract Year 2 2XXX	Contract Year 3 3XXX
X004BF	X004BE	SmartChain Client Tools version 4.X & Savi Mobile Reader 650P with a DB-9 connector, North American Power & Plug (100 to 240 VAC/47 to 63 Hz, Plug K) (Model # SCT-KIT-A-101) (OEM Savi)	1	EA	\$1,900	\$1,939
X004BG	X004BF	SmartChain Client Tools version 4.X & Savi Mobile Reader 650P with a DB-9 connector, Continental Europe Power & Plug (100 to 240 VAC/47 to 63 Hz, Plug A) (Model # SCT-KIT-A-102) (OEM Savi)	1	EA	\$1,900	\$1,939
X004BH	X004BG	SmartChain Client Tools version 4.X & Savi Mobile Reader 650P with a DB-9 connector, Japan/Korea Power & Plug (100 to 240 VAC/47 to 63 Hz, Plug M) (Model # SCT-KIT-A-103) (OEM Savi)	1	EA	\$1,900	\$1,939
X004BB	X004BH	SmartChain Client Tools version 4.X & Savi Mobile Reader 650P with a DB-9 connector, United Kingdom Power & Plug (100 to 240 VAC/47 to 63 Hz, Plug D) (Model # SCT-KIT-A-107) (OEM Savi)	1	EA	\$1,900	\$1,939

C. The following contract parts are replaced in their entirety and dated 31 May 2005 for administrative purposes: Contract Parts B-2, C-1-1 and D. (Note: The attached Part D identifies changes effected in Modifications P00015 and P00027. The attached Part B-2 incorporates changes effected in Modifications P00025 through P00031.) Changes in Microsoft Word are implemented using the highlight technique as follows:

Under Tools, Options, Track Changes Tab:

Inserted text; Mark: Underline, Color: Auto

Changed lines; Mark: Right border, Color: Auto

Changes in Microsoft Excel are denoted by a bar (|) in the right margin.

D. As a result of this modification, there is no change in the total amount obligated under the contract.